

Author Index

Arieli, A., 61
Aust, K. T., 71

Baram, J., 255
Benoit, D., 1
Billaud, D., 55
Boratto, F. J. M., 290
Burman, N. M., 95

Cantor, B., 83
Cheese, R., 83
Choi, H. J., 281
Chu, S. N. G., 167
Clayton, C. R., 263
Conrad, H., 109

Dalgleish, B. J., 9
Eklund, P. C., 77
Ermi, A. M., 137

Fakhr, A., 9
Ferguson, W. G., 183
Foulds, J. R., 137
Fujita, H., 221

Gibeling, J. C., 123
Gillespie, J. W., Jr., 247
Gobin, P. F., 217
Grill, A., 189
Guenin, G., 217
Gutmanas, E. Y., 269

Hanham, C. M., 71
Hashimoto, K., 221
Herman, H., 263
Hérolde, A., 55
Herold, U., 285
Hirvonen, J. K., 263

Hopper, R. W., 21
Hu, W. W., 263

Itzhak, D., 189

Kagawa, M., 109
Kestenbach, H.-J., 143
Kobayashi, S., 173
Kornblit, L., 189
Köster, U., 285

Lai, M. O., 183
Lederich, R. J., 49
Li, J. C. M., 167
Lin, F.-S., 153
Livet, F., 217

Mackley, M. R., 117
Mahoney, M. W., 43
Mai, C., 217
McLellan, R. B., 289
Meshii, M., 173
Meyers, M. A., 143
Morin, M., 217
Moteff, J., 137
Mukherjee, A. K., 61
Murthy, V. R. K., 77

Namdar-Irani, R., 1
Nix, W. D., 123
Nowotny, H., 229

Oikawa, H., 211
Okazaki, K., 109

Pao, P. S., 49
Parker, A. R., 117
Paton, N. E., 43
Pavan, A., 201

Pipes, R. B., 247
Pratt, P. L., 9
Purushothaman, S., 43

Rabinkin, A., 269
Rawlings, R. D., 9
Ray, R., 195
Reed-Hill, R. E., 290
Ricciò, T., 201
Rice, S. L., 229
Rink, M., 201
Roitberg, M., 269
Rosen, M., 255

Sastry, C. N., 277
Sastry, S. M. L., 49
Schwartz, L. H., 281
Sharon, A., 189
Smith, D. S., 77
Soares, C. A. O., 143
Starke, E. A., Jr., 153

Tabata, T., 221
Tanner, L. E., 195
Thomson, P. F., 95
Tien, J. K., 43
Tixier, R., 1

Vogel, F. L., 55

Walter, J. L., 287
Waseda, Y., 71
Wayne, S. F., 229
Wetherhold, R. C., 247
White, J. R., 35
Wood, W. E., 277

Yeow, Y. T., 237

Subject Index

Acoustic emission
the fracture toughness testing of ceramics and, 9
generated during the plastic deformation of Al,
effect of grain size on, 255

Acrylonitrile
the impact behaviour of blends of polyvinylchloride and acrylonitrile-butadiene-styrene terpolymers as a function of the composition of the (styrene-acrylonitrile) copolymer-butadiene rubber-polyvinylchloride system, 201

Aging
dynamic, a back-stress-based rationale for creep behaviour during, 43

Alloys
Al-6Zn-2Mg-xCu, the effect of Cu content and deformation mode on the fatigue crack propagation of at low stress intensities, 153
amorphous, chemical ordering in, comments on, 285, 287
amorphous Fe-B and Ni-B, initial stages of crystallization in, 221
amorphous Fe-base, corrosion behaviour of, 71
 β -Cu-Zn-Al, observations of dislocations in before and after thermoelastic martensitic transformation by X-ray topography, 217
hot-rolled Al-Mg, edge-cracking in, 95
Ti-6Al-6V-2Sn, the effect of internal hydrogen on the stress corrosion cracking of in 3.5% NaCl solution, 49
ultrahigh strength metallic glass, 195

Aluminium
edge-cracking in hot-rolled Al-Mg alloys, 95
the effect of Cu content and deformation mode on the fatigue crack propagation of Al-6Zn-2Mg-xCu alloys at low stress intensities, 153
effect of grain size on the acoustic emission generated during the plastic deformation of Al, 255
the effect of internal hydrogen on the stress corrosion cracking of Ti-6Al-6V-2Sn in 3.5% NaCl solution, 49
observation of dislocations in a β -Cu-Zn-Al alloy before and after thermoelastic martensitic transformation by X-ray topography, 217

Antimony
synthesis of graphite-SbCl₅ and optical tests of its environmental stability, 77

Arrhenius behaviour
deviation from for the diffusion of interstitial atoms in the group V metals, 289, 290

Auger electron spectroscopy
microbeam, characterization of the fracture path of intercritically overttempered Fe-9Ni-0.1C steel by, 281

Austenite
retained, the presence of at the prior austenite grain boundaries of AISI 4340 steel, 277

Back stress
rationale based on, for creep behaviour during dynamic aging, 43

Bone
the mechanical response of a polypropylene fibre-cement composite and its analogy with, 117

Boron
initial stages of crystallization in amorphous Fe-B and Ni-B alloys, 221

Butadiene
the impact behaviour of blends of polyvinylchloride and acrylonitrile-butadiene-styrene terpolymers as a function of the composition of the (styrene-acrylonitrile) copolymer-butadiene rubber-polyvinylchloride system, 201

Carbon
characterization of the fracture path of intercritically overttempered Fe-9Ni-0.1C steel by microbeam Auger electron spectroscopy, 281

Cavitation erosion
of ion-implanted 1018 steel, 263

Cement
and polypropylene fibre, composite of, the mechanical response of and its analogy with bone, 117

Ceramics
the fracture toughness testing of, and acoustic emission, 9

Chlorides
synthesis of graphite-SbCl₅ and optical tests of its environmental stability, 77

Composites
fibrous, macroscopic fracture of, 247
metal-bonded diamond, cold sintering of, 269
polypropylene fibre-cement, the mechanical response of and their analogy with bone, 117
two *in situ*, application of material transport methodology to the impact wear of, 229
unidirectional advanced, creep rupture behaviour of, 237

Composition
of the (styrene-acrylonitrile) copolymer-butadiene rubber-polyvinylchloride system, the impact behaviour of blends of polyvinylchloride and acrylonitrile-butadiene-styrene terpolymers as a function of the, 201

Copper
the effect of Cu content and deformation mode on the fatigue crack propagation of Al-6Zn-2Mg-xCu alloys at low stress intensities, 153
observation of dislocations in a β -Cu-Zn-Al alloy before and after thermoelastic martensitic transformation by X-ray topography, 217

Corrosion
of amorphous Fe-base alloys, 71

Crack growth
 oxidation of fatigue fracture surfaces at low rates of, 1

Cracking
 edge, in hot-rolled Al-Mg alloys, 95
 stress corrosion, of Ti-6Al-6V-2Sn in 3.5% NaCl solution, the effect of internal hydrogen on, 49

Cracks
 fatigue, propagation of in Al-6Zn-2Mg-xCu alloys at low stress intensities, the effect of Cu content and deformation mode on, 153

Creep
 during dynamic aging, a back-stress-based rationale for, 43

Creep rupture
 of unidirectional advanced composites, 237

Crystallization
 in amorphous Fe-B and Ni-B alloys, initial stages of, 221

Deformation
 elevated temperature, the description of in terms of threshold stresses and back stresses: a review, 123
 mode of, and Cu content, the effect of on the fatigue crack propagation of Al-6Zn-2Mg-xCu alloys at low stress intensities, 153
 plastic, of Al, effect of grain size on the acoustic emission generated during, 255

Deformation mechanism diagrams
 with the strain rate as a coordinate, 211

Diamond
 metal-bonded composites of, the cold sintering of, 269

Diffusion
 of interstitial atoms in the group V metals, deviation from Arrhenius behaviour for the, 289, 290

Dislocations
 in a β -Cu-Zn-Al alloy before and after thermo-elastic martensitic transformation, observation of by X-ray topography, 217

Ductile failure
 via a homogeneous strain field, 21

Electrical conductivity
 of hot-pressed magnesia, 189

Electroplastic effect
 in Ti, an evaluation of the contributions of skin, pinch and heating effects to, 109

Erosion
 cavitation, of ion-implanted 1018 steel, 263

Eutectic
 splat-quenched Pb-Sn, superplasticity in, 83

Failure
 ductile, via a homogeneous strain field, 21

Fatigue cracks
 propagation of in Al-6Zn-2Mg-xCu alloys at low stress intensities, the effect of Cu content and deformation mode on, 153

Fatigue fracture
 oxidation of surfaces of at low crack growth rates, 1

Fracture
 macroscopic, of fibrous composites, 247

Fracture path
 of intercritically overtempered Fe-9Ni-0.1C steel, characterization of by microbeam Auger electron spectroscopy, 281

Fracture surfaces
 fatigue, oxidation of at low crack growth rates, 1

Fracture toughness
 of ceramics, testing of and acoustic emission, 9 and the shear lip size, relationship between, 183

Grain boundaries
 prior austenite, of AISI 4340 steel, the presence of retained austenite at, 277

Grain size
 effect of on the acoustic emission generated during the plastic deformation of Al, 255

Graphite
 synthesis of graphite-SbCl₃ and optical tests of its environmental stability, 77
 the synthesis and resistivity of the ternary graphite-K-Na compounds, 55

Group V metals
 deviation from Arrhenius behaviour for the diffusion of interstitial atoms in the, 289, 290

Hydrogen
 internal, the effect of on the stress corrosion cracking of Ti-6Al-6V-2Sn in 3.5% NaCl solution, 49

Impact behaviour
 of blends of polyvinylchloride and acrylonitrile-butadiene-styrene terpolymers as a function of the composition of the (styrene-acrylonitrile) copolymer-butadiene rubber-polyvinylchloride system, 201

Impact wear
 of two *in situ* composites, application of material transport methodology to, 229

Impression testing
 localized stress relaxation by, 167

Ion implantation
 cavitation erosion of ion-implanted 1018 steel, 263

Iron
 characterization of the fracture path of intercritically overtempered Fe-9Ni-0.1C steel by microbeam Auger electron spectroscopy, 281
 corrosion behaviour of amorphous Fe-base alloys, 71
 experimental characterization of surface film softening in Fe: effects of prestraining, temperature and orientation, 173
 initial stages of crystallization in amorphous Fe-B and Ni-B alloys, 221

Lead
 superplasticity in splat-quenched Pb-Sn eutectic, 83

Macroscopic fracture of fibrous composites, 247

Magnesium edge-cracking in hot-rolled Al-Mg alloys, 95 the effect of Cu content and deformation mode on the fatigue crack propagation of Al-6Zn-2Mg-xCu alloys at low stress intensities, 153 electrical conductivity of hot-pressed magnesia, 189

Martensitic transformation thermoelastic, observation by X-ray topography of dislocations in a β -Cu-Zn-Al alloy before and after, 217

Material transport methodology application of to the impact wear of two *in situ* composites, 229

Mechanical response of a polypropylene fibre-cement composite and its analogy with bone, 117

Metallic glasses ultrahigh strength, 195

Model modified site, analysis of stress relaxation in polymers by a, 35 for the rate-controlling mechanism in superplasticity, 61

Nickel characterization of the fracture path of intercritically overtempered Fe-9Ni-0.1C steel by microbeam Auger electron spectroscopy, 281 the effects of temperature and pulse duration on the shock-loading response of Ni, 143 initial stages of crystallization in amorphous Fe-B and Ni-B alloys, 221

Optical tests of environmental stability of graphite-SbCl₅, synthesis and, 77

Ordering chemical, in some amorphous alloys, comments on, 285, 287

Orientation and prestraining and temperature, effects of in the experimental characterization of surface film softening in Fe, 173

Oxidation of fatigue fracture surfaces at low crack growth rates, 1

Pinch effect and skin and heating effects, an evaluation of the contributions of to the electroplastic effect in Ti, 109

Polymers blends of, high performance: the impact behaviour of blends of polyvinylchloride and acrylonitrile-butadiene-styrene terpolymers as a function of the composition of the (styrene-acrylonitrile) copolymer-butadiene rubber-polyvinylchloride system, 201 stress relaxation in, a modified site model analysis, 35

Polypropylene fibre and cement, composite of, the mechanical response of and its analogy with bone, 117

Polyvinylchloride the impact behaviour of blends of polyvinylchloride and acrylonitrile-butadiene-styrene terpolymers as a function of the composition of the (styrene-acrylonitrile) copolymer-butadiene rubber-polyvinylchloride system, 201

Potassium the synthesis and resistivity of the ternary graphite-K-Na compounds, 55

Prestraining and temperature and orientation, effects of in the experimental characterization of surface film softening in Fe, 173

Pulse duration and temperature, the effects of on the shock-loading response of Ni, 143

Rate-controlling mechanism in superplasticity, a model for, 61

Resistivity synthesis and, of the ternary graphite-K-Na compounds, 55

Shear lips size of and the fracture toughness, relationship between, 183

Shock loading response of Ni to, the effects of temperature and pulse duration on, 143

Sintering cold, of metal-bonded diamond composites, 269

Skin effect and pinch and heating effects, an evaluation of the contributions of to the electroplastic effect in Ti, 109

Sodium the effect of internal hydrogen on the stress corrosion cracking of Ti-6Al-6V-2Sn in 3.5% NaCl solution, 49 the synthesis and resistivity of the ternary graphite-K-Na compounds, 55

Softening surface film, in Fe, experimental characterization of and effects of prestraining, temperature and orientation, 173

Splat quenching superplasticity in Pb-Sn eutectic prepared by, 83

Stability environmental, optical tests of, and synthesis of graphite-SbCl₅, 77

Steel AISI 4340, on the presence of retained austenite at the prior austenite grain boundaries of, 277 AISI 304 stainless, substructural development in the hot tensile testing of, 137 intercritically overtempered Fe-9Ni-0.1C, characterization of the fracture path of by microbeam Auger electron spectroscopy, 281 ion-implanted 1018, cavitation erosion of, 263

Strain field
homogeneous, ductile failure via a, 21

Strain rate
as a coordinate in deformation mechanism diagrams, 211

Stress corrosion cracking
of Ti-6Al-6V-2Sn in 3.5% NaCl solution, the effect of internal hydrogen on, 49

Stresses
low, the effect of Cu content and deformation mode on the fatigue crack propagation of Al-6Zn-2Mg- x Cu alloys at, 153
threshold and back, the description of elevated temperature deformation in terms of: a review, 123

Stress relaxation
localized, by impression testing, 167
in polymers: a modified site model analysis, 35

Styrene
the impact behaviour of blends of polyvinyl chloride and acrylonitrile-butadiene-styrene terpolymers as a function of the composition of the (styrene-acrylonitrile) copolymer-butadiene rubber-polyvinylchloride system, 201

Superplasticity
a model for the rate-controlling mechanism in, 61
in splat-quenched Pb-Sn eutectic, 83

Surfaces
fatigue fracture, oxidation of at low crack growth rates, 1

Synthesis
of graphite-SbCl₅ and optical tests of its environmental stability, 77
and resistivity of the ternary graphite-K-Na compounds, 55

Temperature
and prestraining and orientation, effects of in the experimental characterization of surface film softening in Fe, 173
and pulse duration, the effects of on the shock-loading response of Ni, 143

Tensile testing
hot, of type AISI 304 stainless steel, substructural development in, 137

Terpolymers
acrylonitrile-butadiene-styrene, the impact behaviour of blends of polyvinylchloride and as a function of the composition of the (styrene-acrylonitrile) copolymer-butadiene rubber-polyvinylchloride system, 201

Thermoelastic transformation
martensitic, observation by X-ray topography of dislocations in a β -Cu-Zn-Al alloy before and after, 217

Tin
the effect of internal hydrogen on the stress corrosion cracking of Ti-6Al-6V-2Sn in 3.5% NaCl solution, 49
superplasticity in splat-quenched Pb-Sn eutectic, 83

Titanium
the effect of internal hydrogen on the stress corrosion cracking of Ti-6Al-6V-2Sn in 3.5% NaCl solution, 49
an evaluation of the contributions of skin, pinch and heating effects to the electroplastic effect in Ti, 109

Toughness
fracture, and shear lip size, relationship between, 183

Transformation
thermoelastic martensitic, observation by X-ray topography of dislocations in a β -Cu-Zn-Al alloy before and after, 217

Vanadium
the effect of internal hydrogen on the stress corrosion cracking of Ti-6Al-6V-2Sn in 3.5% NaCl solution, 49

Wear
impact, of two *in situ* composites, application of material transport methodology to, 229

X-ray topography
observation of dislocations in a β -Cu-Zn-Al alloy before and after thermoelastic martensitic transformation by, 217

Zinc
the effect of Cu content and deformation mode on the fatigue crack propagation of Al-6Zn-2Mg- x Cu alloys at low stress intensities, 153
observation of dislocations in a β -Cu-Zn-Al alloy before and after thermoelastic martensitic transformation by X-ray topography, 217